



**Park
Thermal
International (1996) Corporation**

62 Todd Road, Georgetown, Ontario L7G 4R7

Tel: (905) 877-5254 Fax: (905) 877-6205

Toll Free: (877) 834-4328

Email: jmistry@parkthermal.com

www.parkthermal.com

Equipment Description

Item # 4514

Manufacturer:	PARK THERMAL
Type:	ELECTRIC FURNACE
Serial:	973
Working Dimensions:	12" WIDE X 18" HIGH X 16" LONG
Overall Size:	42" WIDE X 78" HIGH X 52" LONG APPROX.
Heated:	ELECTRIC
Rating:	15 KW, 27 AMPS, 575 VOLT, 3 PHASE, 60 CYCLE
Maximum Temperature:	1,200°F
General:	FRONT LOADING FURNACE WITH A SIDE SWINGING DOOR. HEATER PLUG IN REAR FROM TOP, RECIRCULATION FAN IN REAR AT BOTTOM, DOOR CLAMPS ON FRONT.
Controls:	FURNACE MOUNTED CONTROL PANEL COMPLETE WITH DIGITAL CONTROLS, PUSH BUTTONS, SWITCHES ETC.

NOTE: equipment is sold "AS IS, WHERE IS" and buyer shall indemnify seller against and hold seller harmless from any and all claims, actions and damages arising out of the possession, operation, condition or use of the equipment.

Seller suggests that you contact the manufacture for important information pertaining to safety and proper use and operation of the above equipment. For safety reasons, we request that you do not place the equipment into service until you have received current safety instructions from the manufacturer.









Ontario Hydro
electrical approval
J 494727

PARK THERMAL

SERIAL NUMBER	973	MAX. TEMP.	1200	°F		
COMBUSTION RATING		BTU/HR. FUEL		BTU/C.F.		
VOLUME		CU. FT./HR.	PRESSURE	INCH W.C.		
AIR VOLUME		CU. FT./HR.	PRESSURE	OZ.		
ZONES	ZONE 1		BTU/HR.	ZONE 2		BTU/HR.
	ZONE 3		BTU/HR.	ZONE 4		BTU/HR.
ELECTRIC RATING	15	KW/HR.	27	AMPS		
POWER	275	VOLTS	3	PHASE	60	CYCLES
CONTROL	120	VOLTS	1	PHASE	60	CYCLES
ZONES	ZONE 1		KW.	ZONE 2		KW.
	ZONE 3		KW.	ZONE 4		KW.