



**Park
Thermal
International (1996) Corporation**

62 Todd Road, Georgetown, Ontario L7G 4R7

Tel: (905) 877-5254 Fax: (905) 877-6205

Toll Free: (877) 834-4328

Email: jmistry@parkthermal.com

www.parkthermal.com

Equipment Description

Item # 4607

Manufacturer:	PARK THERMAL
Type:	ELECTRIC BATCH OVEN
Serial Number:	ITEM 4056
Working Dimensions:	24" WIDE X 48" HIGH X 24" LONG
Overall Size:	45" WIDE X 83" HIGH X 44" LONG
Heated:	ELECTRIC
Rated:	20A, 480 VOLT, 3 PHASE, 60 CYCLE
Maximum Temperature:	204°C (400°F)
General:	ELECTRIC OVEN WITH HORIZONTAL AIR CIRCULATION SYSTEM, ELECTRONIC NICHROME WIRE HEATING ELEMENT SYSTEM FOR MAXIMUM TEMPERATURE UNIFORMITY. OVEN HAS A DIFFERENTIAL AIR FLOW SWITCH, CENTRIFUGAL TYPE BLOWER WHEEL, MANUALLY ADJUSTABLE INTAKE/EXHAUST SYSTEM, 3 SLOTTED STEEL SHELVES
Controls:	OVEN MOUNTED CONTROL PANEL COMPLETE WITH CONTROLS, PUSH BUTTONS, SWITCHES, LIGHTS ETC.

NOTE: equipment is sold "AS IS, WHERE IS" and buyer shall indemnify seller against and hold seller harmless from any and all claims, actions and damages arising out of the possession, operation, condition or use of the equipment.

Seller suggests that you contact the manufacture for important information pertaining to safety and proper use and operation of the above equipment. For safety reasons, we request that you do not place the equipment into service until you have received current safety instructions from the manufacturer.







FED FROM MACHINE #128 MAIN DISCONNECT

MAX FUSE 20 AMP

EAT·N

Heavy Duty Safety Switch
Interrupteur de sécurité à usage industriel
Interrupción de seguridad de servicio pesado

40 A, 480 V_{L-L}, 60 Hz, 250 V_{max}

⚠ DANGER
This switch contains stored energy. It must be opened and locked in the OFF position before any work is performed on the equipment it controls. Failure to do so can result in death or serious injury.

⚠ PELIGRO
Este interruptor contiene energía almacenada. Debe abrirse y bloquearse en la posición APAGADO antes de realizar cualquier trabajo en el equipo que controla. El no hacerlo puede resultar en la muerte o lesiones graves.

ON



OFF





PARK THERMAL INT'L. (1996) CORP. Tel. (905) 877-5254

SERIAL NUMBER	14056	MAX TEMP	400 F
COMBUSTION RATING		BTU/HR	FUEL ELECT
APPLIANCE TYPE	OVEN	INLET PRESS.	
MAX BURNER MANIFOLD PRESS.		IN WC	MIN BURNER MANIFOLD PRESS.
ZONES <input type="checkbox"/> ZONE 1		BTU/HR	ZONE 2 <input type="checkbox"/> BTU/HR
PURGE TIME			
ALTITUDE			
ELECTRICAL RATING	17 KW/HR	20	AMPS
POWER	480 VOLTS	3	PHASE
		60	HERTZ
CONTROL	120 VOLTS	1	PHASE
		60	HERTZ
	7 ZONE 1	10	KW
			KW
SHORT CIRCUIT RATING	5	KA RMS	
SYMMETRICAL AT	480	VOLTS	